



BOOSTER COILS



ROWS AVAILABLE	1	2
FPI AVAILABLE	8	10 12
TUBES OD & Wall Thickness	5/8	.020
COPPER ONLY	1/2	.016
FINS Material & Thickness	ALUM.	.006 .010
	COPPER	.006
CASING	16 GA. GALV. STEEL 16 GA. STAINLESS STEEL	
MODEL NO. (Example)	SP - Slip & Drive 8 - 8 fpi 1 - 1 row 12 - Fin Height 24 - Fin Length N - Non Headered	

DIMENSIONAL DATA IN INCHES

ITEM	QTY	ROWS	FPI	SP1	FH	SP2	CH	EP1	FL	EP2	CL	CD	MAX	C	OAL
				1/16		1/16		3/16		3/16		6	2 1/4	5	

CONNECTION SIZES

3/4 MPT	1 MPT
SUPPLY	RETURN
	CU

P.O. #						CUSTOMER					
W.O. #						MODEL NO.					
APPROVED BY						TAG:					
DATE						NOTES					

JFD Tube & Coil Products, Inc.
 PO Box 6309 / 7 Hamden Park Dr
 Hamden, CT 06517
 Ph: (800) 824-2664 Fx: (203) 281-7368
 Visit Our Website: www.jfdcoil.com

Performance Data	CFM		EDB/EWB		LDB/LWB		CAPACITY		EWT	
------------------	-----	--	---------	--	---------	--	----------	--	-----	--

LWT		GPM	
-----	--	-----	--